

Applicant(s): Gene Facey, et al





SYSTEM AND METHOD FOR CONVERTING A
FLOATING DRILLING RIG TO A BOTTOM SUPPORTED
DRILLING RIG

Fig. 2
(Prior Art)



Applicant(s): Gene Facey, et al

SYSTEM AND METHOD FOR CONVERTING A
FLOATING DRILLING RIG TO A BOTTOM SUPPORTED
DRILLING RIG**Fig. 3**
(Prior Art)**Fig. 4**
(Prior Art)

Applicant(s): Gene Facey, et al
SYSTEM AND METHOD FOR CONVERTING A
FLOATING DRILLING RIG TO A BOTTOM SUPPORTED
DRILLING RIG

Fig. 5
(Prior Art)





Fig. 6
(Prior Art)



Applicant(s): Gene Facey, et al
SYSTEM AND METHOD FOR CONVERTING A
FLOATING DRILLING RIG TO A BOTTOM SUPPORTED
DRILLING RIG






Fig. 7B



Applicant(s): Gene Facey, et al
SYSTEM AND METHOD FOR CONVERTING A
FLOATING DRILLING RIG TO A BOTTOM SUPPORTED
DRILLING RIG

Fig. 9






Fig. 10

Fig. 8